Printing date 13.06.2016 Revision: 13.06.2016

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: Rawn Plas-T-Pair Liquid
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against

Liquid portion of Plas-T-Pair repair system

- · Application of the substance / the mixture Liquid portion of Plas-T-Pair repair system
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Cortec Spray Technologies

1300 South River Street

Spooner WI 54801

Phone (800) 826-6791 or (715) 635-8711

Fax (715) 635-2200

Cortec Corporation

4119 White Bear Parkway

St. Paul, MN 55110 USA

Phone (651) 429-1100

Fax (651) 429-1122

- · Information department: regulatory@cortecvci.com
- · 1.4 Emergency telephone number:

Spill, Leak, Fire, Exposure, or Accident

24 hour CHEMTREC contact:

USA and Canada 1-800-424-9300

International +1-703-527-3887 (collect calls accepted)

UK +(44)-870-8200418

## **SECTION 2: Hazards identification**

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS02 flame

Flam. Liq. 2 H225 Highly flammable liquid and vapour.



GHS08 health hazard

Carc. 2 H351 Suspected of causing cancer.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction. STOT SE 3 H335 May cause respiratory irritation.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

(Contd. on page 2)

(Contd. of page 1)

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 13.06.2016 Revision: 13.06.2016

Trade name: Rawn Plas-T-Pair Liquid

### · Hazard pictograms







GHS02

GHS07 GHS0

· Signal word Danger

### · Hazard-determining components of labelling:

methyl methacrylate

N,N-dimethylaniline

#### · Hazard statements

H225 Highly flammable liquid and vapour.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H351 Suspected of causing cancer.

H335 May cause respiratory irritation.

H412 Harmful to aquatic life with long lasting effects.

#### · Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P241 Use explosion-proof electrical/ventilating/lighting/equipment.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/

shower.

P321 Specific treatment (see on this label).

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

### **SECTION 3: Composition/information on ingredients**

- · 3.2 Chemical characterisation: Mixtures
- **Description:** Mixture of the substances listed below with nonhazardous additions.

	· Ingredients:		
Ī	CAS: 80-62-6	methyl methacrylate	50-100%
	EINECS: 201-297-1	Flam. Liq. 2, H225; Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT SE 3, H335	
		N,N-dimethylaniline	2.5-10%
	EINECS: 204-493-5	<ul> <li>Flam. Liq. 3, H226;</li> <li>Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331;</li> <li>Carc. 2, H351;</li> <li>Aquatic Chronic 2, H411</li> </ul>	

#### · Additional information

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

For the wording of the listed hazard phrases refer to section 16.

### **SECTION 4: First aid measures**

- · 4.1 Description of first aid measures
- · After inhalation

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably on side position for transportation.

· After skin contact Immediately wash with water and soap and rinse thoroughly.

(Contd. on page 3)

Printing date 13.06.2016 Revision: 13.06.2016

Trade name: Rawn Plas-T-Pair Liquid

(Contd. of page 2)

- · After eye contact Rinse opened eye for several minutes under running water.
- · After swallowing If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Information for doctor Show this safety data sheet to the doctor in attendance.
- $\cdot$  4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents



CO2, sand, extinguishing powder. Do not use water.

· For safety reasons unsuitable extinguishing agents

Water.

Water with full jet.

· 5.2 Special hazards arising from the substance or mixture

In certain fire conditions, traces of other toxic gases cannot be excluded.

- · 5.3 Advice for firefighters
- · Protective equipment:

Mount respiratory protective device.

Wear self-contained respiratory protective device.

### **SECTION 6: Accidental release measures**

· 6.1 Personal precautions, protective equipment and emergency procedures





Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Keep away from ignition sources

· 6.2 Environmental precautions:

Do not allow undiluted product to enter sewers/surface or ground water

Prevent seepage into sewage system, workpits and cellars.

Inform respective authorities in case of seepage into water course or sewage system.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

· 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

GB ·

Printing date 13.06.2016 Revision: 13.06.2016

Trade name: Rawn Plas-T-Pair Liquid

(Contd. of page 3)

## **SECTION 7: Handling and storage**

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about protection against explosions and fires:



Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Use explosion-proof apparatus / fittings and spark-proof tools.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and receptacles:

Use only receptacles specifically permitted for this substance/product.

· Information about storage in one common storage facility:

Store away from foodstuffs.

Store away from oxidising agents.

· Further information about storage conditions:

Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

· 7.3 Specific end use(s) No further relevant information available.

### **SECTION 8: Exposure controls/personal protection**

- · Additional information about design of technical systems: No further data; see item 7.
- · 8.1 Control parameters
- · Components with limit values that require monitoring at the workplace:

#### 80-62-6 methyl methacrylate (50-100%)

WEL Short-term value: 416 mg/m³, 100 ppm

Long-term value: 208 mg/m<sup>3</sup>, 50 ppm

#### 121-69-7 N,N-dimethylaniline (2.5-10%)

WEL Short-term value: 50 mg/m<sup>3</sup>, 10 ppm Long-term value: 25 mg/m<sup>3</sup>, 5 ppm

- · Additional information: The lists that were valid during the creation were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment
- · General protective and hygienic measures

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

(Contd. on page 5)

(Contd. of page 4)

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 13.06.2016 Revision: 13.06.2016

Trade name: Rawn Plas-T-Pair Liquid

### · Breathing equipment:



In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

#### · Protection of hands:

Protective gloves.

· Vapour density

· Evaporation rate

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Protective Gloves I.E., Nitrile, Viton, Neoprene

**SECTION 9: Physical and chemical properties** 

- · Eye protection: Tightly sealed goggles.
- · Body protection: Protective work clothing.

SECTION 9. 1 hysical and chemical properties		
· 9.1 Information on basic physical and chemical properties		
General Information		
· Appearance:	** *1	
Form:	Liquid Clear	
Colour: Odour:	Acrid	
· Odour: · Odour threshold:	Not determined.	
· Odour threshold:	Not determined.	
· pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	-48 °C (*)	
Boiling point/Boiling range:	101 °C (*)	
· Flash point:	10 °C (*)	
Flammability (solid, gaseous)	Not applicable.	
Ignition temperature:	430 °C (*)	
Decomposition temperature:	Not determined.	
Self igniting:	Product is not selfigniting.	
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapou mixtures are possible.	
Explosion limits:		
Lower:	2.1 Vol % (*)	
Upper:	12.5 Vol % (*)	
· Vapour pressure at 20 °C:	47 hPa (*)	
Density at 20 °C:	0.9406 g/cm³	
Relative density	Not determined.	

Not determined.

Not determined.

(Contd. on page 6)

Printing date 13.06.2016 Revision: 13.06.2016

Trade name: Rawn Plas-T-Pair Liquid

(Contd. of page 5)

· Solubility in / Miscibility with

Water at 20 °C: 1.6 g/l

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

**dynamic:** Not determined. **kinematic:** Not determined.

• 9.2 Other information The above data are typical values and do not constitute a specification.

\*Properties have been calculated.

## **SECTION 10: Stability and reactivity**

- 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known

## **SECTION 11: Toxicological information**

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- · LD/LC50 values that are relevant for classification:

#### 121-69-7 N,N-dimethylaniline

Oral LD50 1410 mg/kg (Rat)

- Primary irritant effect:
- · Skin corrosion/irritation

Causes skin irritation.

- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation

May cause an allergic skin reaction.

- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity

Suspected of causing cancer.

- Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure

May cause respiratory irritation.

- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

### **SECTION 12: Ecological information**

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.

(Contd. on page 7)

Printing date 13.06.2016 Revision: 13.06.2016

Trade name: Rawn Plas-T-Pair Liquid

(Contd. of page 6)

- · 12.4 Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Harmful to fish
- 12.6 Other adverse effects No further relevant information available.

## **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- · Recommendation



Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue

The European Waste Catalogue (EWC) waste codes do not refer to product but to origin. The manufacturer is therefore unable to quote a waste code for products which are used in various industries. Any codes shown should be regarded as a recommendation to the user.

	,
07 00 00	WASTES FROM ORGANIC CHEMICAL PROCESSES
07 07 00	wastes from the MFSU of fine chemicals and chemical products not otherwise specified
07 07 99	wastes not otherwise specified
HP 3	Flammable
HP 4	Irritant - skin irritation and eye damage
HP 5	Specific Target Organ Toxicity (STOT)/Aspiration Toxicity
HP 7	Carcinogenic
HP 13	Sensitising
HP 14	Ecotoxic

- · Uncleaned packagings:
- **Recommendation:** Disposal must be made according to official regulations.

NAT 4 4 1	T	· C	
)N 14:	Transport in	torma	non

· 14.1 UN-Number · ADR, IMDG, IATA	UN1993
· 14.2 UN proper shipping name	
· ADR	1993 FLAMMABLE LIQUID, N.O.S. (vapour pressure at 50
	°C not more than 110 kPa) (METHYL METHACRYLATE
	MONOMER, STABILIZED)
· IMDG, IATA	FLAMMABLE LIQUID, N.O.S. (METHYL
	METHACRYLATE MONOMER, STABILIZED)

- · 14.3 Transport hazard class(es)
- · ADR, IMDG, IATA



· Class 3 Flammable liquids.

(Contd. on page 8)

Printing date 13.06.2016 Revision: 13.06.2016

Trade name: Rawn Plas-T-Pair Liquid

	(Contd. of page
· Label	3
· 14.4 Packing group · ADR, IMDG, IATA	II
· 14.5 Environmental hazards: · Marine pollutant:	No
<ul> <li>14.6 Special precautions for user</li> <li>Danger code (Kemler):</li> <li>EMS Number:</li> <li>Stowage Category</li> </ul>	Warning: Flammable liquids. 33 F-E, <u>S-E</u> B
· 14.7 Transport in bulk according to Ann Marpol and the IBC Code	ex II of Not applicable.
· Transport/Additional information:	
· ADR · Limited quantities (LQ) · Excepted quantities (EQ) · Transport category	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml 2
· Tunnel restriction code	D/E
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· UN ''Model Regulation'':	UN 1993 FLAMMABLE LIQUID, N.O.S. (VAPOU PRESSURE AT 50 °C NOT MORE THAN 110 KPA (METHYL METHACRYLATE MONOMER STABILIZED), 3, II

## **SECTION 15: Regulatory information**

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category P5c
- · Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t
- · National regulations
- · Technical instructions (air):

Class	Share in %
I	3.0

- · Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

GB

Printing date 13.06.2016 Revision: 13.06.2016

Trade name: Rawn Plas-T-Pair Liquid

(Contd. of page 8)

### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Cortec Corporation does not warranty any translation of this SDS not created by Cortec Corporation.

### · Relevant phrases

H225 Highly flammable liquid and vapour.

H226 Flammable liquid and vapour.

H301 Toxic if swallowed.

H311 Toxic in contact with skin.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H331 Toxic if inhaled.

H335 May cause respiratory irritation.

H351 Suspected of causing cancer.

H411 Toxic to aquatic life with long lasting effects.

#### · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

vPvB: very Persistent and very Bioaccumulative

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

Flam. Liq. 2: Flammable liquids – Category 2

Flam. Liq. 3: Flammable liquids – Category 3

Acute Tox. 3: Acute toxicity – Category 3

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Skin Sens. 1: Skin sensitisation – Category 1

Carc. 2: Carcinogenicity – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

 $\cdot$  \* Data compared to the previous version altered.

GB