

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 16.12.2013

Revision: 16.12.2013

1 Identification of the substance/mixture and of the company/undertaking

- **Product identifier**
- **Trade name: Rawn Plas-T-Pair Powder**
- **Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Cortec Corporation
4119 White Bear Parkway
St. Paul, MN 55110 USA
Phone (651) 429-1100
Fax (651) 429-1122
- **Information department: info@cortecvci.com**
info@cortecvci.com
Product safety department.
- **Emergency telephone number:**
Spill, Leak, Fire, Exposure, or Accident
24 hour CHEMTREC contact:
USA and Canada 1-800-424-9300
International +1-703-527-3887 (collect calls accepted)
UK +(44)-870-8200418

2 Hazards identification


- **Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**



GHS07

Acute Tox. 4 H302 Harmful if swallowed.
Acute Tox. 4 H332 Harmful if inhaled.

- **Classification according to Directive 67/548/EEC or Directive 1999/45/EC**



Xn; Harmful

R20/22: Harmful by inhalation and if swallowed.

- **Information concerning particular hazards for human and environment:**

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

- **Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**
The product is classified and labelled according to the CLP regulation.
- **Hazard pictograms** GHS07
- **Signal word** Warning
- **Hazard-determining components of labelling:**
poly(methyl methacrylate-co-ethyl acrylate)
- **Hazard statements**
H302+H332 Harmful if swallowed or if inhaled.
- **Precautionary statements**
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P264 Wash thoroughly after handling.
P301+P312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

(Contd. on page 2)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 16.12.2013

Revision: 16.12.2013

Trade name: Rawn Plas-T-Pair Powder

(Contd. of page 1)

P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
 P312 Call a POISON CENTER or doctor/physician if you feel unwell.
 P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- **Additional information:**

WARNING! AS WITH ALL ORGANIC POWDERS, MAY FORM COMBUSTIBLE DUST CONCENTRATION IN AIR

Contains ethyl acrylate, dibenzoyl peroxide. May produce an allergic reaction.

- **Other hazards**

- **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.















- **vPvB:** Not applicable.

3 Composition/information on ingredients

- **Chemical characterization: Mixtures**

- **Description:** Mixture of the substances listed below with nonhazardous additions.

- **Ingredients:**

CAS: 9010-88-2	poly(methyl methacrylate-co-ethyl acrylate)  Xn R20/22  Acute Tox. 4, H302; Acute Tox. 4, H332	50-100%
CAS: 140-88-5 EINECS: 205-438-8	ethyl acrylate  Xn R20/21/22;  Xi R36/37/38;  Xi R43;  F R11  Flam. Liq. 2, H225;  Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335	≤ 2.5%
CAS: 94-36-0 EINECS: 202-327-6	dibenzoyl peroxide  Xi R36;  Xi R43;  E R3;  O R7  Org. Perox. B, H241;  Eye Irrit. 2, H319; Skin Sens. 1, H317	≤ 2.5%

- **Additional information** For the wording of the listed risk phrases refer to section 16.

4 First aid measures

- **Description of first aid measures**

- **General information**

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- **After inhalation**

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. In case of unconsciousness place patient stably on side position for transportation.

- **After skin contact** Immediately wash with water and soap and rinse thoroughly.

- **After eye contact** Rinse opened eye for several minutes under running water.

- **After swallowing** Call for a doctor immediately.

- **Information for doctor**

- **Most important symptoms and effects, both acute and delayed** No further relevant information available.

- **Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

GB

(Contd. on page 3)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 16.12.2013

Revision: 16.12.2013

Trade name: Rawn Plas-T-Pair Powder

(Contd. of page 2)

5 Firefighting measures

- **Extinguishing media**
- **Suitable extinguishing agents**
CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Special hazards arising from the substance or mixture**
As with all dusts, fine particles suspended in air in critical proportions and in the presence of an ignition source may ignite and/or explode. Dust may be sensitive to ignition by electrostatic discharge, electrical arcs, sparks, welding torches, cigarettes, open flame, or other significant heat sources. As a precaution, implement standard safety measures for handling finely divided organic powders.
- **Advice for firefighters**
- **Protective equipment:** Mount respiratory protective device.
- **Additional information**
Explosion: Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
Sweep up material.
Dispose contaminated material as waste according to item 13.
Ensure adequate ventilation.
- **Reference to other sections**
Use extreme caution when dispersing dust in the air. Non-sparking tools/equipment should be used.
See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

- **Handling**
- **Precautions for safe handling**
Prevent formation of dust.
Thorough dedusting.
Ensure good ventilation/exhaustion at the workplace.
- **Information about protection against explosions and fires:**



Keep ignition sources away - Do not smoke.

Use explosion-proof apparatus / fittings and spark-proof tools.
Wear shoes with conductive soles.

Dust can combine with air to form an explosive mixture.

As a precaution to control dust explosion potential, implement safety measures to control ignition sources and dispersion of dusts. See NFPA standard 654, OSHA 29CFR1910.39 and others for more details.

Minimize dust generation and accumulation.

Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces.

Dry powders can build static electricity charges when subjected to the friction of transfer and mixing operations.

Provide adequate precautions, such as electrical grounding and bonding.

(Contd. on page 4)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 16.12.2013


Revision: 16.12.2013

Trade name: Rawn Plas-T-Pair Powder

(Contd. of page 3)

- **Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep receptacle tightly sealed.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:**
It is recommended that all dust control equipment such as local exhaust ventilation and material transport systems involved in handling of this product contain explosion relief vents or an explosion suppression system or an oxygen-deficient environment.
Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).
Use only appropriately classified electrical equipment and powered industrial trucks.
- **Control parameters**
WEL Long Term (8hr TWA) Inhalable dusts: 10mg/m³
WEL Long Term (8hr TWA) Respirable dusts: 4mg/m³
- **Components with limit values that require monitoring at the workplace:**
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment**
- **General protective and hygienic measures**
Keep away from foodstuffs, beverages and feed.
Wash hands before breaks and at the end of work.
- **Breathing equipment:**
 In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.
- **Protection of hands:**
Protective gloves.
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- **Penetration time of glove material**
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:** Tightly sealed goggles.
- **Body protection:** Protective work clothing.

GB

(Contd. on page 5)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 16.12.2013

Revision: 16.12.2013

Trade name: Rawn Plas-T-Pair Powder

(Contd. of page 4)

9 Physical and chemical properties

· Information on basic physical and chemical properties	
· General Information	
· Appearance:	
Form:	Powder
Colour:	White
· Odour:	Light
· Odour threshold:	Not determined.
· pH-value:	Not applicable.
· Change in condition	
Melting point/Melting range:	undetermined
Boiling point/Boiling range:	undetermined
· Flash point:	Not applicable
· Flammability (solid, gaseous)	Not determined.
· Ignition temperature:	
Decomposition temperature:	Not determined.
· Self igniting:	Product is not selfigniting.
· Danger of explosion:	As with all dusts , fine particles suspended in air in critical proportions and in the presence of an ignition source may ignite and/or explode. Dust may be sensitive to ignition by electrostatic discharge, electrical arcs, sparks, welding torches, cigarettes, open flame, or other significant heat sources. As a precaution, implement standard safety measures for handling finely divided organic powders. Risk of explosion by shock, friction, fire or other sources of ignition.
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapour pressure:	Not applicable.
· Density:	Not determined
· Relative density	Not determined.
· Vapour density	Not applicable.
· Evaporation rate	Not applicable.
· Solubility in / Miscibility with	
Water:	Insoluble
· Partition coefficient (n-octanol/water): Not determined.	
· Viscosity:	
dynamic:	Not applicable.
kinematic:	Not applicable.
· Solvent content:	
Organic solvents:	0.0 %
Solids content:	99.5 %
· Other information	The above data are typical values and do not constitute a specification.

GB

(Contd. on page 6)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 16.12.2013

Revision: 16.12.2013

Trade name: Rawn Plas-T-Pair Powder

(Contd. of page 5)

10 Stability and reactivity

- **Reactivity**
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**
- **Primary irritant effect:**
- **on the skin:** Repeated or prolonged skin contact with this product may produce skin irritation.
- **on the eye:** May be irritating.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**
The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:
Harmful

12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behaviour in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation**



Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 7)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 16.12.2013

Revision: 16.12.2013

Trade name: Rawn Plas-T-Pair Powder

(Contd. of page 6)

- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

- | | |
|---|-----------------|
| · UN-Number | |
| · ADR | Not applicable |
| · UN proper shipping name | Not applicable |
| · Transport hazard class(es) | Not applicable |
| · Packing group | Not applicable |
| · Environmental hazards: | |
| · Marine pollutant: | No |
| · Special precautions for user | Not applicable. |
| · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code | Not applicable. |

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- National regulations
- Technical instructions (air):

Class	Share in %
NK	0.5
- **Water hazard class:** Water hazard class 1 (Self-assessment): slightly hazardous for water.
- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Cortec Corporation does not warranty any translation of this SDS not created by Cortec Corporation.

- **Relevant phrases**
- H225 Highly flammable liquid and vapour.
- H241 Heating may cause a fire or explosion.
- H302 Harmful if swallowed.
- H312 Harmful in contact with skin.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H332 Harmful if inhaled.
- H335 May cause respiratory irritation.
- R11 Highly flammable.
- R20/21/22 Harmful by inhalation, in contact with skin and if swallowed.
- R20/22 Harmful by inhalation and if swallowed.

(Contd. on page 8)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 16.12.2013

Revision: 16.12.2013

Trade name: Rawn Plas-T-Pair Powder

(Contd. of page 7)

R3 Extreme risk of explosion by shock, friction, fire or other sources of ignition.

R36 Irritating to eyes.

R36/37/38 Irritating to eyes, respiratory system and skin.

R43 May cause sensitisation by skin contact.

R7 May cause fire.

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

· * Data compared to the previous version altered.

GB